

## Canon iP6210D PIXMA Printer

- Print your photos directly from compatible digital cameras and memory cards
- 2 picolitre FINE technology for sharper text and enhanced image detail
- [ChromaLife 100](#) ink for beautiful, long lasting photos
- 6 colour printing and up to 4800 x 1200 dpi allows you to produce superior-quality photos
- Print true borderless photos up to A4 size
- Print a borderless 6" x 4" photo in approximately 60 seconds



[www.canon.com.au](http://www.canon.com.au)

### Specifications

<b>Printing Method:</b>	Bubble Jet ink-on-demand with advanced FINE (Full-photolithography Inkjet Nozzle Engineering) technology
<b>Paper Feeding:</b>	Automatic feed
<b>Paper Type &amp; Capacity:</b>	<ul style="list-style-type: none"><li>- Plain Paper (10mm): 100</li><li>- Super White Paper (SW-201): 80</li><li>- High Resolution Paper (HR-101N): 80</li><li>- Photo Paper Pro (PR-101): A4: 10, 6"x4": 20</li><li>- Photo Paper Plus Glossy (PP-101): A4/5"x7": 10, 6"x4": 20</li><li>- Photo Paper Plus Semi-gloss (SG-101): A4: 10, 6"x4": 20</li><li>- Glossy Photo Paper (GP-401): A4: 10, 6"x4"/Credit Card: 20</li><li>- Glossy Photo Paper - everyday use (GP-501): A4: 10, 6"x4": 20</li><li>- Matte Photo Paper (MP-101): A4: 10, 6"x4": 20</li><li>- Photo Paper Plus Double sided (PP-101D): A4/5"x7": 1 (manual feed)</li><li>- Photo Stickers (PS-101): 1</li><li>- Envelopes (DL, Com#10): 10</li><li>- Transparencies (CF-102): 30</li><li>- T-Shirt Transfers (TR-301): 1</li></ul>
<b>Paper Size:</b>	A4, A5, B5, Letter, Legal, Envelopes (DL, Com. #10), 5" x 7", 6" x 4", Credit Card (54mm x 86mm)
<b>Paper Weight:</b>	Plain Paper: 64-105g/m <sup>2</sup> , Canon specialty paper (max paper weight): approx 273g/m <sup>2</sup> (Photo Paper Plus Double Sided)
<b>Print Speed:</b>	<ul style="list-style-type: none"><li>- Monochrome: approx. 12ppm</li><li>- Colour graphics: approx. 10ppm</li><li>- Photo Paper Plus Glossy (6"x 4" image on PP-101 in standard mode): approx. 60 secs borderless</li></ul>

# Multie Technology Distribution

<b>Resolution:</b>	4800 x 1200 dpi max
<b>Recommended Printable Area:</b>	<ul style="list-style-type: none"><li>- Bordered printing - Top Margin: 3mm, Bottom Margin: 5mm, Left/Right margin: 3.4mm</li><li>- Borderless photo printing - Top/Bottom/Right/Left margin: 0mm</li></ul>
<b>Interface:</b>	<ul style="list-style-type: none"><li>- PC: USB 2.0 Hi-Speed, Bluetooth printing with optional BU-20 adaptor and Bluetooth enabled computer</li><li>- Camera Direct: Direct Print Port (PictBridge / Bubble Jet Direct)</li><li>- Mobile Phone: Bluetooth Ver. 1.2 with optional BU-20 adaptor (JPEG only)</li></ul>
<b>Ink Cartridges:</b>	<ul style="list-style-type: none"><li>- CL-51 - FINE Colour Cartridge (or optional CL-41 Cartridge)</li><li>- CL-52 - FINE Photo Cartridge</li></ul>
<b>Ink Yield*:</b>	<ul style="list-style-type: none"><li>- CL-51 - 180 borderless 6" x 4" photos</li><li>- CL-52 - 110 borderless 6" x 4" photos</li></ul>
<b>Compatibility:</b>	<ul style="list-style-type: none"><li>- Windows XP/2000/Me/98</li><li>- Mac OS X v 10.2.1 or later</li></ul>
<b>Dimensions (W x D x H):</b>	438 x 260 x 172 mm (minimum dimensions with paper trays and other extensions closed)
<b>Weight:</b>	Approx. 3.7kg
<b>Power Source:</b>	100-240V, 50/60Hz
<b>Power Consumption:</b>	<ul style="list-style-type: none"><li>- Max: 11W (printing)</li><li>- Standby: 1W</li></ul>
<b>Acoustic Noise Level:</b>	43dB(A) in best quality mode
<b>Operating Environment:</b>	<ul style="list-style-type: none"><li>- Temperature: 5-35°C</li><li>- Humidity: 10-90% RH (no condensation)</li></ul>
<b>Bundled Software:</b>	<ul style="list-style-type: none"><li>- Windows: Easy-PhotoPrint, Easy-WebPrint, PhotoRecord</li><li>- Macintosh: Easy-PhotoPrint</li></ul>
<b>Included in the Box:</b>	PIXMA iP6210D Bubble Jet printer, Setup Software & User's Guide CD-ROM, Printed Manual, CL-51 FINE Colour Cartridge, CL-52 FINE Photo Cartridge, 12 months warranty card, Power cord, Sample Photo Paper

\* Ink yield calculation is based on printing Canon 24 standard digital images on Photo Paper Plus Glossy (6" x 4" borderless print) with default settings in Windows XP driver. The figure above is an average value, measured when printing continuously using the ink immediately after it is unsealed, until the ink is out. Ink yield may vary depending on photos printed, applications software used, print mode and type of paper used. This should be used as a guide only and does not take into account ink that might be used for head cleaning or head refreshing to maintain printer performance:

Subject to change without notice. For a complete set of specifications and conditions, please refer to product brochure :

# mtd products

**Multie Technology Distribution** *mtd.* 

---

---

MTD (Multie Technology Distribution)  
Phone: 1300 369 985 Fax: 1300 369 890 email: [sales@mtd.net.au](mailto:sales@mtd.net.au)  
[www.mtd.net.au](http://www.mtd.net.au)

# mtd products

**Multie Technology Distribution** *mtd.* 

---

---

MTD (Multie Technology Distribution)  
Phone: 1300 369 985 Fax: 1300 369 890 email: [sales@mtd.net.au](mailto:sales@mtd.net.au)  
[www.mtd.net.au](http://www.mtd.net.au)